

AD 0759123

01
TECHNICAL REPORT

73-35-PR

DEXTERITY AFFORDED
by
CB PROTECTIVE GLOVES

by

John M. McGinnis

Carolyn K. Bense

John M. Lockhart

3553
Approved for public release ;
distribution unlimited.

March 1973

UNITED STATES ARMY
NATICK LABORATORIES
Natick, Massachusetts 01760



20040205/14

Pioneering Research Laboratory

**Distribution of this
document is unlimited.**

Technical Report

73-35-PR

Dexterity Afforded

by

CB Protective Gloves

by

**John M. McGinnis
Carolyn K. Bense
John M. Lockhart**

March 1973

**UNITED STATES ARMY NATICK LABORATORIES
Pioneering Research Laboratory
Natick, Massachusetts**

Foreword

The study reported here was conducted by the Human Factors Group, Behavioral Sciences Division, Pioneering Research Laboratory, at the request of the Clothing and Personal Life Support Equipment Laboratory. This work was done as part of Project 1J664713DL40, Clothing and Equipment, and of Task 02 under Project 1T062106A121, Human Factors Analysis and Design Guidance in Support of Materiel Research and Development.

Acknowledgments

The following Officers and Civilian Employees voluntarily participated as test subjects on this study in addition to their regular duties: Major James D. Allen, Captain William T. Meadows, Paul J. Dersain, Basil M. Douka, Leonard F. Flores, Steven J. Israelian, and Bruce Snigger. Their participation made it possible to complete the study on schedule. Efficient participation by the following Enlisted Men, who were volunteer members of the Climatic Research Laboratory Test Subject Platoon, also is acknowledged: SP4 Richard Delvecchio, SP4 Marshall Laitsch, SP4 Gary Nagy, SP4 Willie Walton, PFC Timothy Brooks, and PFC Earl Pugh.

The authors wish to express their thanks to Mr. Herman Madnick who initiated this study and to SP5 John R. Klotz for his assistance in the collection of the data.

Contents

	Page
List of Figures	iv
List of Tables	v
List of Appendices	vi
Abstract	vii
Introduction	1
Method	2
Subjects	2
Apparatus and Tasks	2
Procedure	3
Results	5
Discussion	8
Conclusions	9
References	10

List of Figures

	Page
1. Mean Torque Test scores for each session and handwear condition.	11
2. Mean Two-Hand Turning Test scores for each session and handwear condition.	12
3. Mean O'Connor Fine Finger Dexterity Test scores for each session and handwear condition.	13
4. Mean Cord and Cylinder Manipulation Test scores for each session and handwear condition.	14
5. Mean Bennett Hand Tool Dexterity Test scores for each session and handwear condition.	15

List of Tables

	Page
1. Analysis of Variance of Torque Test Performance Data (Sessions 1-7)	16
2. Analysis of Variance of Torque Test Performance Data (Sessions 8-14)	17
3. Analysis of Variance of Two-Hand Turning Test Performance Data (Sessions 1-7)	18
4. Analysis of Variance of Two-Hand Turning Test Performance Data (Sessions 8-14)	19
5. Analysis of Variance of O'Connor Finger Dexterity Test Performance Data (Sessions 1-7)	20
6. Analysis of Variance of O'Connor Finger Dexterity Test Performance Data (Sessions 8-14)	21
7. Analysis of Variance of Cord and Cylinder Test Performance Data (Sessions 1-7)	22
8. Analysis of Variance of Cord and Cylinder Test Performance Data (Sessions 8-14)	23
9. Analysis of Variance of Bennett Hand Tool Dexterity Test Performance Data (Sessions 1-7)	24
10. Analysis of Variance of Bennett Hand Tool Dexterity Test Performance Data (Sessions 8-14)	25
11. Mean Score for Each Task under Each Handwear Condition	26

List of Appendices

	Page
A. Photographs of Handwear Conditions	27
1. Cotton CB Protective Glove	28
2. Butyl CB Protective Glove	29
3. Leather Glove with Butyl CB Protective Glove	30

Abstract

Three chemical and biological (CB) protective gloves were evaluated and compared to bare hands with regard to their effects on the performance of five manual tasks during 14 daily sessions. One task measured the angular force which could be exerted on a cylindrical handle. Four tasks measured finger or hand dexterity. One of these included the use of wrenches and screwdrivers. On the Torque Test, scores were highest when the butyl rubber CB protective glove was worn and lowest (only 1/3 as large) with the standard cotton CB protective glove. Performances with bare hands and with butyl gloves worn under the leather glove were between the two extremes and were approximately equal. On all four dexterity tasks, bare hand performance was best and performance was worst when the butyl glove was worn under the leather glove. On these tasks, performances with the cotton glove and the butyl glove were very similar and differed significantly from the two extreme conditions. Because of the great impairment on manual dexterity, it was recommended that the butyl and leather glove combination be given no further consideration for use as the Army CB protective glove.

Introduction

The purpose of this study was to evaluate three types of chemical and biological (CB) protective gloves with regard to their effects on manual performance. The particular operational characteristics addressed in this study were: "The improved CB protective glove will provide significantly improved tactile sensitivity as compared to that afforded by the present impregnated cotton gloves. The improved CB protective gloves will be so designed that they present a minimum of interference with finger dexterity required in the performance of military duties, to include operation and adjustment of small devices and instruments, handling materiel, and the loading and firing of weapons". (Ref 1, Para 24).

The handwear systems investigated in this study are pictured in Appendix A. These were:

- a. the bare hand
- b. a chemically-impregnated cotton, five-finger glove which is the present standard CB protective handwear
- c. a butyl rubber, five-finger, "relaxed hand" glove which is impermeable and is being considered to replace the present CB protective glove
- d. the butyl glove worn under the standard, five-finger leather glove.

Thus, there were three glove conditions and a bare hand condition. The latter was included for the purpose of a more complete data analysis.

The effects of handwear on manual performance were determined for five different manual tasks, which had been used previously to study the dexterity afforded by cold-wet gloves (Ref 2). One task was assumed to be related to firmness of grasp. Three other tasks were assumed to measure varying degrees of manual, finger, or fine finger dexterity. The fifth was a measure of proficiency in the use of wrenches and screwdrivers.

Method

Subjects — Thirteen men participated as subjects in the present investigation. Six were volunteer enlisted men assigned to the Climatic Research Laboratory Test Subject Platoon. They ranged in age from 20 to 25 years and, with one exception, they had had previous training in the performance of some or all manual tasks used here. The remaining seven subjects were civilian and military personnel in the Clothing and Life Support Equipment Laboratory, NLABS. They ranged in age from 25 to 45 years and had had no previous exposure to the manual tasks used in this study.

Apparatus and Tasks — A battery of tests was assembled which was considered suitable for measuring important aspects of manual dexterity and the effects of handwear on manual performance. The following tasks, numbered in the order performed, were included:

1. **Torque Test** — a test designed to measure the amount of angular force which can be applied to a 0.75-in. diameter brass cylinder when it is grasped in one hand (Ref. 2). It is assumed that this task is closely related to the ability to hold onto objects and has little other relation to dextrous manipulation. One trial on the task consisted of two successive tries. The higher of the two scores, in inch-pounds, was used in subsequent analyses.
2. **Minnesota Two-Hand Turning Test** — a widely-used test designed to measure manual dexterity (Ref. 3). The subject, starting at the upper right-hand corner of the form board containing 60, 1.5-in. diameter and 7/8-in. thick blocks, picks up each block with the lead hand, turns it over, and places it down with the following hand until all blocks have been turned.
3. **O'Connor Fine Finger Dexterity Test** — a test widely used for measuring fine finger dexterity and aptitude for assembling small mechanical parts. In the shortened form used in this study, the subject was required to pick up and place three pins in each of 20 holes.
4. **Cord Manipulation and Cylinder Stringing Test** — a test designed by McGinnis to measure proficiency in handling soft, flexible materials

(Ref. 2). It consists of 10 large and one small loop of 3/32-in., woven nylon cord attached at equal intervals to a flexible webbing base with a hook at the far end, and of 10, 1/2-in., plastic cylinders with a 3/8-in. bore. The nearest loop is elongated until the sides are brought together, the doubled end is inserted through a cylinder, and the distal end is opened to form a smaller loop. The next loop is then elongated, passed through the first loop and through a cylinder. This procedure continues until the 10 loops form a chain with one cylinder mounted on each link. The smaller final loop is inserted through the tenth and placed over the hook to complete the task.

5. **Bennett Hand Tool Dexterity Test** — a test which measures proficiency in the use of wrenches and screwdrivers (Ref. 4). Two open-end wrenches, one large crescent wrench, and a screwdriver are used to relocate six bolt, nut, and washer combinations of three different sizes.

The score for each of the last four tests was the time required to complete the given number of components on the task, recorded to the nearest 0.01 minutes.

Testing was conducted in a laboratory maintained at 70° to 75°F with minimal windspeed. The enlisted men who served as subjects were outfitted in fatigues, wool socks, and leather combat boots. The remaining test subjects wore shirts, slacks, and civilian dress shoes.

Procedure — Before testing began, each subject was fitted for and issued one, appropriately-sized pair of the following types of gloves which were used only by that subject throughout the study: the standard cotton CB protective glove, the butyl rubber CB protective glove, and the standard leather glove. All gloves were new and had not been previously worn. The butyl glove was tested alone and when worn under the standard leather glove, while the cotton glove was only tested alone. These three glove configurations plus the bare hand condition comprised the four levels of the handwear variable.

Subjects were generally run in pairs for the 14 sessions comprising this study. During the first session, the subjects were instructed and performed the five manual tasks in order,

first barehanded and then while wearing the standard CB protective glove, the butyl CB protective glove, and the butyl glove under the leather glove, in that order. During each of the 13 subsequent sessions, the order of presentation of handwear conditions was random for each pair of subjects. Subjects participated in only one experimental session per day and performed the manual tasks in the order specified above. They were given one trial on each test with one of the four handwear conditions before moving to the next handwear condition.

The data from each task were subjected to separate analyses of variance. In addition, the first seven sessions and the last seven sessions were analyzed separately for each task. The experimental design used in the analyses was a factorial one of the form: Subjects (1-13) by Handwear Condition (Bare hands and three glove types) by Sessions (1-7 or 8-14).

Results

Each analysis of variance performed on the task data yielded a significant main effect of handwear. In the analysis of sessions 1 through 7, the main effect of sessions was also found to be significant on all tasks. In the analysis of sessions 8 through 14, the sessions effect was significant only for the Minnesota Two-Hand Turning Test and the Bennett Hand Tool Dexterity Test. The results of the analysis of variance performed on sessions 1 through 7 for each task are presented in Tables 1, 3, 5, 7, and 9. The same information for sessions 8 through 14 is presented in Tables 2, 4, 6, 8, and 10. Additional analyses, in the form of Newman-Keuls multiple comparisons tests, were performed on the significant handwear effect for each task. The results of these tests and the mean for each handwear condition are presented in Table 11.

On the Torque Test, the performance level was highest when the butyl glove was worn and lowest with the cotton glove. Performance with the bare hand and with the butyl glove worn under the leather glove fell between these two extremes. During the first seven sessions, scores achieved with the bare hand were significantly higher than those achieved when the butyl glove was worn under the leather glove, while the difference between these two handwear conditions was not significant during the last seven sessions (Table 11).

Mean Torque Test performance for each session and handwear condition is plotted in Figure 1 revealing the extent of the differences among types of handwear. Performance was relatively constant during the last seven sessions, regardless of the handwear worn, while performance level was generally increasing over the first seven sessions. The increase was greatest with the butyl gloves and when the butyl glove was worn under the leather glove. This resulted in the significant interaction between handwear and sessions during the first seven sessions (Table 1).

The results of the analyses of the four manual dexterity tasks are similar to each other (Tables 3-10). Performance was significantly better with the bare hand than when any of the three types of gloves were worn. The worst performance occurred when the butyl glove was worn under the leather glove. Performance with the cotton glove and the butyl glove differed significantly from these two extremes (Table 11).

Mean Two-Hand Turning Test scores for each session and handwear condition are presented in Figure 2. Performance level was improving over all 14 sessions on this task, yielding decreasing time scores and the significant main effect of sessions (Tables 3 and 4). For the first seven sessions, there was also a significant interaction between handwear condition and sessions attributable to the greater change in performance with the butyl glove worn under the leather glove compared to the other three handwear conditions. There was no significant difference between the cotton and the butyl gloves for either sessions 1-7 to 8-14 (Table 11).

On the O'Connor Fine Finger Dexterity Task, performance with the butyl glove was superior to that with the cotton glove during the first seven sessions only. During the last seven sessions, performance with these two types of gloves did not differ significantly (Table 11). In Figure 3, it can be seen that performance on this test under all handwear conditions improved during the first seven sessions and remained relatively constant during the last seven. This was reflected in a significant main effect of sessions in the analysis of variance of the data from the first seven sessions (Table 5). In addition, there was a significant interaction between handwear and sessions during the first seven sessions (Table 5). As with the Two-Hand Turning Test results, this interaction would seem to be attributable to the relatively greater performance improvement with the butyl glove under the leather glove than with the other three handwear conditions, particularly with the bare hand condition (Figure 3).

As on the O'Connor Test, performance on the Cord and Cylinder Test improved during the first seven sessions and remained relatively constant during the last seven yielding a significant main effect of sessions in the analysis of variance performed on sessions 1-7. There was also a significant interaction between handwear condition and sessions in the analysis of variance based on the first seven sessions (Table 7). This again reflected the relatively greater improvement in performance with the butyl glove under the leather glove than with the other three glove conditions (Figure 4). As was the case with the Two-Hand Turning Test, no significant difference was found between the butyl and the cotton gloves throughout all sessions.

The results of the Bennett Hand Tool Dexterity Test differed from those of the other three dexterity tasks insofar as there was no significant interaction between handwear

condition and sessions in the analysis of the former (Tables 9 and 10). It can be seen in Figure 5 that the performance changes over sessions for each handwear condition were essentially parallel on the Bennett Test. Also, the significant main effect of sessions in the analyses of both the first and the last seven sessions is attributable to a decrease in time scores over all sessions (Tables 9 and 10). As on the Two-Hand Turning and the Cord and Cylinder Tests, there was no significant difference in performance between the cotton and the butyl gloves for the first or last seven sessions (Table 11).

Discussion

While the results of this study indicated that the wearing of gloves produced a significant impairment in manual performance, the extent to which gloves impaired performance differed with the type of glove worn and the tasks performed. Insofar as the ability to apply angular force is concerned, as reflected by the Torque Test, the butyl glove was significantly superior to the cotton glove and to the other two handwear conditions investigated. The handwear differences on the Torque Test are of such magnitudes as to be practically important. Torque scores with the butyl glove were approximately 3.0 times greater than those for the cotton glove, 1.3 times greater than bare hand scores, and slightly more than 1.3 times greater than the scores for the butyl and leather glove combination. With the cotton glove, torque scores were approximately 43% of bare hand scores, 33.3% of the butyl glove scores, and 47% of the butyl and leather glove combination scores.

On the four remaining tasks, dexterity performance with the butyl glove differed significantly from that with the cotton glove only on the O'Connor Fine Finger Dexterity Test and this difference occurred only during sessions 1-7. The butyl and leather glove condition resulted in far greater impairment of manual performance than did any other handwear condition. Based upon the results of the present study, it is recommended that the butyl and leather glove combination be given no further consideration for use as the Army CB protective glove.

The extensive performance impairment when the butyl glove was worn under the leather glove occurred throughout the study even though there was a relatively greater lowering of time scores over sessions with this glove combination. This finding indicated that more learning was required on the part of the wearer to use these gloves with any degree of manipulative skill than was required to use the butyl or the cotton glove or the bare hand. The practical significance of this finding is the possibility that, because of the frustrations introduced by the butyl and leather glove combination during initial practice on a task under non-toxic conditions, the wearer may more readily discard these gloves than he would the others tested here and not practice sufficiently to become even minimally adept in their use. For the same reasons, during practice under toxic conditions, the wearer may more readily discard the outer leather glove of this combination and use only the butyl glove. Again, the wearer would not achieve the level of performance with the butyl and leather glove combination which would have been possible with additional practice.

Conclusions

1. On the Torque Test, scores were highest when the butyl glove was worn and lowest with the cotton glove. Performance levels with the bare hand and with the butyl and leather glove combination were between these two extremes and were approximately equal.
2. On the four dexterity tasks, bare hand performance was fastest and the slowest scores occurred when the butyl and leather glove combination was worn. Performance levels with the cotton glove and with the butyl glove differed significantly from these two extremes. However, for seven out of eight comparisons, the scores achieved with the cotton and with the butyl gloves did not differ significantly from each other.
3. The butyl and leather glove combination resulted in far greater impairment of manual performance on the four dexterity tasks than did any other handwear condition.

References

1. "Technical Characteristics for Improved CB Protective Gloves: Annex B to Coordinated Test Program for Improved CB Protective Gloves". Natick, Mass.: US Army Natick Laboratories, February 1972.
2. McGinnis, J., Lockhart, J., and Bense, C. "A Human Factors Evaluation of Cold-Wet Handwear." Natick, Mass.: US Army Natick Laboratories, Technical Report 73-23-PR, April 1972.
3. Betts, L. (Ed.). "Minnesota Rate of Manipulation Test Examiner's Manual". Minneapolis: Educational Test Bureau, Educational Publishers, 1946.
4. Bennett, G. K. "Hand Tool Dexterity Test Manual of Directions". New York: Psychological Corporation, 1965.




Figure 1. Mean Torque Test scores for each session and handwear condition.




Figure 2. Mean Two-Hand Turning Test scores for each session and handwear condition.




Figure 3. Mean O'Connor Fine Finger Dexterity Test scores for each session and handwear condition.




Figure 4. Mean Cord and Cylinder Manipulation Test scores for each session and handwear condition.




Figure 5. Mean Bennett Hand Tool Dexterity Test scores for each session and handwear condition.

Table 1
Analysis of Variance of Torque Test
Performance Data
(Sessions 1–7)

SV	df	SS	MS	F-ratio	p
Subjects (Ss)	12	16867.330	1405.611	—	
Sessions	6	7902.308	1317.051	14.889	.001
Ss x Sessions	72	6368.978	88.458		
Handwear (H)	3	70334.363	23444.788	71.976	.001
Ss x H	36	11726.208	325.728	—	
H x Sessions	18	3301.253	183.403	3.093	.001
Ss x H x Sessions	216	12807.176	59.292	—	

Table 2
Analysis of Variance of Torque Test
Performance Data
(Sessions 8-14)

SV	df	SS	MS	F-ratio	p
Subjects (<u>S</u> s)	12	28950.116	2412.510	—	
Sessions	6	919.808	153.301	2.137	
<u>S</u> s x Sessions	72	5164.192	71.725		
Handwear (H)	3	79847.527	26615.842	59.163	.001
<u>S</u> s x H	36	16195.400	449.872	—	
H x Sessions	18	585.973	32.554	<1.000	
<u>S</u> s x H x Sessions	216	10980.600	50.836	—	

Table 3
Analysis of Variance of Two-Hand Turning
Test Performance Data
(Sessions 1-7)

SV	df	SS	MS	F-ratio	p
Subjects (<u>S</u> s)	12	11.732	0.978	---	
Sessions	6	5.618	0.936	32.289	.001
<u>S</u> s x Sessions	72	2.090	0.029	---	
Handwear (H)	3	15.359	5.120	61.983	.001
<u>S</u> s x H	36	2.974	0.083	---	
H x Sessions	18	0.899	0.050	4.940	.001
<u>S</u> s x H x Sessions	216	2.188	0.010	---	

Table 4
Analysis of Variance of Two-Hand Turning
Test Performance Data
(Sessions 8-14)

SV	df	SS	MS	F-ratio	p
Subjects (<u>S</u> s)	12	8.411	0.701	---	
Sessions	6	0.208	0.035	5.833	.001
<u>S</u> s x Sessions	72	0.414	0.006	---	
Handwear (H)	3	8.143	2.714	38.771	.001
<u>S</u> s x H	36	2.521	0.070	---	
H x Sessions	18	0.095	0.005	1.250	
<u>S</u> s x H x Sessions	216	0.992	0.004	---	

Table 5**Analysis of Variance of O'Connor Finger
Dexterity Test Performance Data
(Sessions 1-7)**

SV	df	SS	MS	F-ratio	p
Subjects (<u>Ss</u>)	12	35.077	2.983	—	
Sessions	6	11.896	1.923	17.180	.001
<u>Ss</u> x Sessions	72	8.307	0.115	—	
Handwear (H)	3	56.767	18.922	70.109	.001
<u>Ss</u> x H	36	9.715	0.270	—	
H x Sessions	18	5.009	0.283	3.912	.001
<u>Ss</u> x H x Sessions	216	15.635	0.072	—	

Table 6

Analysis of Variance of O'Connor Finger
Dexterity Test Performance Data
(Sessions 8-14)

SV	df	SS	MS	F-ratio	p
Subjects (<u>Ss</u>)	12	26.329	2.194	---	
Sessions	6	0.284	0.047	1.068	
<u>Ss</u> x Sessions	72	3.166	0.044	---	
Handwear (H)	3	27.549	9.183	67.522	.001
<u>Ss</u> x H	36	4.908	0.136	---	
H x Sessions	18	0.630	0.035	1.400	
<u>Ss</u> x H x Sessions	216	5.368	0.025	---	

Table 7
Analysis of Variance of Cord and Cylinder
Test Performance Data
(Sessions 1-7)

SV	df	SS	MS	F-ratio	p
Subjects (<u>S</u> s)	12	19.977	1.655	—	
Sessions	6	13.507	2.251	28.316	.001
<u>S</u> s x Sessions	72	5.726	0.079	—	
Handwear (H)	3	105.267	35.089	165.047	.001
<u>S</u> s x H	36	7.652	0.212	—	
H x Sessions	18	7.016	0.390	10.918	.001
<u>S</u> s x H x Sessions	216	7.714	0.036	—	

Table 8
Analysis of Variance of Cord and Cylinder
Test Performance Data
(Sessions 8-14)

SV	df	SS	MS	F-ratio	p
Subjects (<u>S</u> s)	12	21.465	1.789	—	
Sessions	6	1.407	0.234	<1.000	
<u>S</u> s x Sessions	72	18.645	0.259	—	
Handwear	3	48.605	16.202	37.944	.001
<u>S</u> s x H	36	15.377	0.427	—	
H x Sessions	18	4.692	0.261	1.040	
<u>S</u> s x H x Sessions	216	54.248	0.251	—	

Table 9
Analysis of Variance of Bennett Hand Tool
Dexterity Test Performance Data
(Sessions 1-7)

SV	df	SS	MS	F-ratio	p
Subjects (<u>S</u> s)	12	63.083	5.257	---	
Sessions	6	40.978	6.830	21.309	.001
<u>S</u> s x Sessions	72	23.073	0.320	---	
Handwear (H)	3	26.172	8.724	65.644	.001
<u>S</u> s x H	36	4.783	0.133	---	
H x Sessions	18	27.001	0.150	1.412	
<u>S</u> s x H x Sessions	216	22.938	0.106	---	

Table 10
Analysis of Variance of Bennett Hand Tool
Dexterity Test Performance Data
(Sessions 8-14)

SV	df	SS	MS	F-ratio	p
Subjects (<u>S</u> s)	12	40.690	3.391		
Sessions	6	2.894	0.482	3.766	.005
<u>S</u> s x Sessions	72	9.206	0.128		
Handwear (<u>H</u>)	3	16.923	5.641	55.852	.001
<u>S</u> s x <u>H</u>	36	3.643	0.101		
<u>H</u> x Sessions	18	0.737	0.041	1.000	
<u>S</u> s x <u>H</u> x Sessions	216	11.719	0.054		

Table 11

**Mean Score for Each Task under
Each Handwear Condition**

Task	Handwear			
Sessions 1–7				
Torque Test	C 57.16	A 45.80	D 39.19	B 18.92
Two-Hand Turning Test	A 0.73	C 0.91	B 0.92	D 1.29
O'Connor Fine Finger Dexterity Test	A 1.38	C 1.72	B 1.89	D 2.47
Cord and Cylinder Test	A 0.88	C 1.42	B 1.52	D 2.38
Bennett Hand Tool Dexterity Test	A 2.47	C 2.64	B 2.69	D 3.19
Sessions 8–14				
Torque Test	C 63.24	A 47.38	D 46.47	B 21.82
Two-Hand Turning Test	A 0.62	B 0.752	C 0.753	D 1.03
O'Connor Fine Finger Dexterity Test	A 1.27	C 1.49	B 1.58	D 2.03
Cord and Cylinder Test	A 0.91	C 1.22	B 1.27	D 1.92
Bennett Hand Tool Dexterity Test	A 2.08	C 2.31	B 2.33	D 2.69

Note: A=Bare Hands, B=Cotton Glove, C=Butyl Glove, D=Leather Glove w/Butyl Glove.
Handwear not connected by same line are significantly different ($p < .05$).

APPENDIX A

Photographs of Handwear Conditions



A1. Cotton CB Protective Glove
28



A2. Butyl CB Protective Glove



A3. Leather Glove with Butyl CB Protective Glove

DISTRIBUTION LIST

Commanding General
US Army Materiel Command
ATTN: AMCCG
Alexandria, Va. 22304 1

Commanding General
US Army Materiel Command
ATTN: AMCDL (Mr. N. Klein)
Alexandria, Va. 22304 1

Commanding General
US Army Materiel Command
ATTN: AMCRD-T (Dr. El-Bisi)
Alexandria, Va. 22304 1

Commanding General
US Army Materiel Command
ATTN: AMCRD-G (Mr. C. Gardner)
Alexandria Va. 22304 4

Commanding General
US Army Materiel Command
ATTN: AMCRD-TE (Mr. Crellin)
Alexandria, Va. 22304 1

Commanding General
US Army Materiel Command
ATTN: AMCRD-RL (Research Div.)
R&D Directorate, Bldg. T-7
Alexandria, Va. 22304 1

Commanding General
US Army Materiel Command
ATTN: AMCRD (Air Defense &
Missile Ofc.)
Alexandria, Va. 22304 1

Commanding General
US Army Materiel Command
ATTN: AMCRD (Dr. Kaufman)
Alexandria, Va. 22304 1

Commanding General
US Army Materiel Command
ATTN: AMCRD (Comm-Elec. Ofc.)
Alexandria, Va. 22304 1

Commanding General
US Army Materiel Command
ATTN: AMCRD (Weapons Ofc.)
Alexandria, Va. 22304 1

Commanding General
US Army Materiel Command
ATTN: AMCRD-F (Air Mobility Ofc.)
Alexandria, Va. 22304 1

Office of Chief of Staff
Department of the Army
ATTN: CSAVCS-W-TIS
Washington, D.C. 20314 1

Commanding General
US Army Materiel Command
Dir. of Materiel Requirements
ATTN: AMCMR-TA (Army Personnel
Support Branch)
Alexandria, Va. 22304 1

Commanding General
US Army Materiel Command
Dir. of Materiel Requirements
ATTN: AMCMR-BF (Fixed Wing Br.)
Alexandria, Va. 22304 1

Commanding General
US Army Materiel Command
Dir. of Materiel Requirements
ATTN: AMCMR-BR (Rotary Wing Br.)
Alexandria, Va. 22304 1

Commanding General
US Army Materiel Command
Dir. of Materiel Requirements
ATTN: AMCMR-T (Troop Support Div.)
Alexandria, Va. 22304 1

DISTRIBUTION LIST (cont'd)

Commanding General US Army Materiel Command ATTN: AMCSA-ND Alexandria, Va. 22304	1	Defense Director Technical Information Office of Director of Defense, Research and Engineering Room 3D 1040, The Pentagon Washington, D.C. 20301	1
US Army Materiel Command Chief, Administrative Office ATTN: AMCAD-S (Safety Div.) Alexandria, Va. 22304	1	COL William S. Augerson MC USA Military Assistant for Medical and Life Sciences OAD/F&LS Room 3B 129, The Pentagon DDRE, Washington, D.C. 20301	1
Commanding General US Army Materiel Command Operational Readiness Office ATTN: AMCOR-TM (Materiel Spt. Br.) Alexandria, Va. 22304	1	Assistant Secretary of Defense (I&L) ATTN: Mr. M. Marshall Room 3D 767, The Pentagon Washington, D.C. 20301	1
Commanding General US Army Materiel Command ATTN: AMCPM-MO Alexandria, Va. 22304	1	Commandant Hq., US Marine Corps Code COE-2 (MAJ E.B. Cox) Washington, D.C. 20380	1
Commanding General US Army Materiel Command Operational Readiness Office ATTN: AMCOR-TS (Special Field Activities Branch) Alexandria, Va. 22304	1	Commandant Hq., US Marine Corps Code COE-2 (Miss Joan C. Niland) Washington, D.C. 20380	1
The Army Library ATTN: Procurement Section Room 1A522 The Pentagon Washington, D.C. 20301	1	Commandant Hq., US Marine Corps Code AX4E5 (LTC T.P. Gray) Washington, D.C. 20380	1
Chief, Biomedical Sciences Div. Office of Assistant Director Chemical Technology Room 30-129, The Pentagon Washington, D.C. 20301	1	Quartermaster General Hq., US Marine Corps ATTN: COB-2 (LT F. Towers) Washington, D.C. 20380	1
Directorate for Subs. Mgmt. Policy Office of Ass't. Sec. of Def. (I&L) ATTN: LTC J. L. Welbourn Room 2B 323, The Pentagon Washington, D.C. 20301	2	Commandant Hq., US Marine Corps Code A03H ATTN: Close Combat Office Washington, D.C. 20380	1

DISTRIBUTION LIST (cont'd)

Commandant Hq., US Marine Corps Code A04D Washington, D.C. 20380	1	Deputy Chief of Staff for Logistics ATTN: DCSLOG-DTS-SUD-FS Department of the Army Washington, D.C. 20310	1
Director Naval Research Lab Code 5143A Washington, D.C.	1	Commander Science and Technology Division Hq., US Air Force (AF/RDPS) Washington, D.C. 20330	1
Office of Naval Research Code 455 Washington, D.C.	1	Commander Hq., US Air Force ATTN: Mr. John Earl (AFPREED) Bldg. 626, Room 269 Bolling AFB Washington, D.C. 20330	1
Office of Naval Research Code 458 ATTN: Pers. and Tng. (Dr. Farr) Washington, D.C.	1	Headquarters US Air Force ATTN: AFRDDG Washington, D.C. 20330	1
Mr. W. Ferguson Naval Research Lab. Technical Information Div. (for Code 6214) Washington, D.C. 20370	1	Chief, Status & Support Branch Maintenance Readiness Div. US Army Supply & Maint. Command Washington, D.C. 20315	1
Director Naval Research Lab Code 6140 Washington, D.C. 20390	1	Deputy Chief of Staff for Personnel Department of the Army Personnel Research Div. Washington, D.C. 20314	1
Commanding Officer Navy Subsistence Office Washington Navy Yard — Bldg. 166 Washington, D.C. 20390	1	Army Audiology & Speech Center Forest Glen Section Walter Reed General Hospital Washington, D.C. 20012	1
Department of the Navy Special Projects Office Washington, D.C. 20360	1	Federal Aviation Administration 800 Independence Avenue, SW ATTN: Admin Stds. Div. (MS-110) Washington, D.C. 20590	1
Deputy Chief of Staff for Logistics Department of the Army Washington, D.C. 20310	1		

DISTRIBUTION LIST (cont'd)

Director Walter Reed Army Institute of Res. ATTN: Neuropsychiatry Div. Washington, D.C. 20012	1	Psychological Abstracts 1200 17th Street, NW Washington, D.C. 20038	1
US Dept. of Commerce National Bureau of Standards ATTN: Dr. A. Rubin Washington, D. C. 20230	1	Commanding Officer Aeronautical Systems Div. ATTN: ENCCE Wright-Patterson AFB Ohio 45433	1
Harry Diamond Laboratories Conn. Ave. & Van Ness St. Washington, D.C.	1	Commanding Officer Aeronautical Systems Div. Wright-Patterson AFB ATTN: ASWL Ohio 45433	1
US General Accounting Office ATTN: Robert G. Rockwell Defense Division, Room 6470 4416 Street, Northwest Washington, D.C. 20548	1	Director Bare Base Equipment SPO ATTN: ASD/SMB Wright Patterson, AFB Ohio 45433	1
Director of Research Labs. US Army Personnel Research Office ATTN: Tech. Library 2nd and T St., SW Washington, D.C. 20315	1	Hq., Air Force Logistics Command AFLC/DP5B Wright-Patterson, AFB Ohio 45433	1
Director US Army Advanced Materiel Concepts Agency Washington, D.C. 20315	1	US Army NLABS Liaison Office ASDL-8 (Mr. Hogan) Wright-Patterson AFB Ohio 45433	1
Commander Naval Facilities Engineering Command Y-D Annex ATTN: Mr. Jesse Rocha Room 2-C-370 Washington, D.C. 20390	1	6570 AMRL (MRHE) Wright-Patterson AFB Ohio 45433	2
HQDA (DAEN-2A/Mr. William Holmes) Forrestal Bldg. Washington, D.C. 20315	1	6570 AMRL (MRHER/Bates) Wright-Patterson AFB Ohio 45433	1
		6570 AMRL (MRHE/Warrick) Wright-Patterson AFB Ohio 45433	1

DISTRIBUTION LIST (cont'd)

AFFDL-FDCR (CDIC) Wright-Patterson AFB Ohio 45433	1	Commanding General US Army Aviation Command ATTN: AMSAV-EGGA 12th & Spruce St. St. Louis, Mo. 63102	1
Commanding General US Army Mobility Command ATTN: AMSMO-RR Warren, MI 48089	1	Commanding General US Army Aviation Command ATTN: ACMPM (Heavy Lift Helicopter System) 12th & Spruce St. St. Louis, Mo. 63102	1
Commanding General US Army Tank-Automotive Command ATTN: AMSTA-R Warren, Michigan 48089	1	Commanding General US Army Aviation Command ATTN: AMC-PM 12th & Spruce St. St. Louis, Mo. 63102	1
Commanding General US Army Tank-Automotive Command ATTN: AMSTA-RHFL Warren, Michigan 48089	2	Commanding General US Army Aviation Command ATTN: AMCPM-HA (Utility Tactical Tspt Aircraft Systems) 12th & Spruce St. St. Louis, Mo. 63102	1
Commanding General US Army Tank-Automotive Command ATTN: AMSTA-RKAE Warren, Michigan 48089	1	Commanding Officer US Army Aviation Material Command ATTN: Tech. Library P.O. Box 209 St. Louis, Mo. 63166	2
Commanding General US Army Weapons Command ATTN: AMSWE-RDR Rock Island, Il. 61201	1	Commanding General US Army Aviation Command ATTN: AMCPM-LOH (Light Observation Helicopter) 12th & Spruce St. St. Louis, Mo. 63102	1
Commanding General US Army Weapons Command ATTN: AMSWE-RDT Rock Island, Ill. 61200	1	Commanding Officer US Army Aviation Command ATTN: AMSAV-D-L (Aircraft Systems Life Support/Air Del Equip. Mgmt.) 12th & Spruce St. St. Louis, Mo. 63102	1
Commanding General US Army Weapons Command ATTN: AMSWE-SMM-P Rock Island, Ill. 61200	1		
Commanding General US Army Weapons Command ATTN: SWERI-RDD-PD Rock Island, Ill. 61200	2		

DISTRIBUTION LIST (cont'd)

Commanding General USASCOM P.O. Box 209 ATTN: AMSAV-R-F (Mr. Moreland) St. Louis, Mo. 63102	1	Director, Development Center Marine Corps Development & Ed. Cmd. ATTN: Chief, Combat Service Suppt. Div. Quantico, Va. 22134	1
Director of Graduate Studies & Res. US Army Command & General Staff Coll. ATTN: Behavioral Sciences Rep. Fort Leavenworth, KS 66027	1	Director, Development Center Marine Corps Development & Ed. Cmd. ATTN: LTC H.L. Barrett, S&R Div. Quantico, Va. 22134	1
US Army Command & Gen. Staff College Library Div. Fort Leavenworth, KS 66027	1	Director, Development Center Marine Corps Development & Ed. Cmd. ATTN: Chief, Ground Combat Div. Quantico, Va. 22134	1
President Hq. US Army Artillery Bd. Fort Sill, Oklahoma 73504	1	Commander Defense General Supply Center CODE: DGSC/TSA (David H. Freedman) Defense Supply Agency Richmond, Va. 23219	1
Civil Aeromedical Institute Fed. Avn. Agency P.O. Box 25082 ATTN: Psychology Br. (AC-118) Oklahoma City, Oklahoma 73125	1	Commandant US Army Quartermaster School ATTN: Quartermaster Library Fort Lee, Va. 23801	2
Commandant US Army Artillery & Missile School ATTN: USAAMS Tech. Library Fort Sill, Oklahoma 73504	1	Defense Logistics Studies Information Exchange Fort Lee, Va. 23801	2
Commanding Officer Engr. Topographic Labs ATTN: Mr. Sidney Presser Fort Belvoir, Virginia 22060	1	Commandant U.S.A. Logistics Management Center Fort Lee, Va. 23801	1
Commanding Officer US Army Mobility Equip. R&D Center ATTN: Human Factors Engr. Fort Belvoir, Virginia 22060	1	Commanding General US Continental Army Command ATTN: DSCLOG, Maintenance Div. Fort Monroe, Va. 23351	1
Commanding Officer US Army Mobility Equipment R&D Center ATTN: Tech. Documents Center Bldg. 315 Fort Belvoir, Va. 22060	1	Commanding General US Continental Army Command ATTN: ATIT-RD-RD Fort Monroe, Virginia 23351	1

DISTRIBUTION LIST (cont'd)

Commander
US Army Inst. for Behav. & Soc. Sciences
1300 Wilson Blvd.
Arlington, Virginia 22209

4

US Army Special Warfare School
ATTN: Assistant Secretary
Director of Instruction
Fort Bragg, NC 28307

1

The George Washington University
Human Resources Research Office
Remote Area Training Div.
300 North Washington St.
Alexandria, Va. 22314

1

Commanding Officer
US Army Research Office, Durham
ATTN: CRD-AA-IP
Box CM, Duke Station
Durham, NC 27706

1

Administrator
Defense Documentation Center
ATTN: DDC-TCA
Cameron Station, BG5
Alexandria, Va. 22314

12

Library
School of Textiles
North Carolina State Univ.
P. O. Box 5006
Raleigh, NC 27607

1

Technical Library
USACDC Institute of Land Combat
301 Taylor Drive
Alexandria, Va. 22314

1

Commandant
US Army Infantry School
ATTN: AJIIS-A
Fort Benning, Ga. 31905

1

US Department of Commerce
NTIS
Springfield, Virginia

2

President
US Army Infantry Board
Ft. Benning, Ga. 31905

1

Commanding Officer
Naval Medical Field Research Lab.
ATTN: Personnel Protection Div.
Camp Lejeune, NC 28542

1

Commanding Officer
Naval Training Center
ATTN: Tech. Library
Orlando, Florida 32183

1

Commanding Officer
Naval Medical Field Research Lab.
Camp Lejeune, NC 28542

1

Commanding Officer
US Army Medical Res. Lab.
Fort Knox, Kentucky 40121

1

Marine Corps Liaison Office
Naval Medical Field Research Lab.
Camp Lejeune, NC 28542

1

President
US Army Maintenance Bd.
ATTN: Adjutant
Fort Knox, Kentucky 40121

1

Library
US Army Airborne, Electronics &
Special Welfare Bd.
Fort Bragg, NC 28307

1

Commandant
US Army Armor School
ATTN: Chief, Pol & Tng Lit Div.
Fort Knox, Ky. 40121

1

DISTRIBUTION LIST (cont'd)

US Army Armor HRU ATTN: Library Fort Knox, Kentucky 40121	1	Commanding General US Army Missile Command ATTN: AMSMI-PC Redstone Arsenal, Al 35808	1
Commanding Officer US Army Aeromedical Research Unit ATTN: Tech. Library Fort Rucker, AL 36362	1	Redstone Scientific Information Center US Army Missile Command ATTN: Ch, Documents Section Redstone Arsenal, Al. 35808	2
US Army Aviation School Library Bldg. 5313 Fort Rucker, Al. 36362	2	Director Air University Library ATTN: AUL3T-7575 Maxwell Air Force Base Alabama 36112	1
President US Army Aviation Test Bd. Fort Rucker, Al 36362	1	US Army Agency for Aviation Safety ATTN: Librarian Fort Rucker, Al. 36360	1
Commander US Army Agency for Aviation Safety ATTN: TR&A Fort Rucker, Al. 36360	2	Hq., 4442d CombT Crew Tng Wing (TAC) Little Rock AFB Jacksonville, Arkansas 72076	1
Director of Research USA Avn HRU P.O. Box 428 ATTN: Librarian Fort Rucker, Alabama 36362	1	AMD (AMRH) Brooks AFB Texas 78235	1
Commanding General US Army Missile Command ATTN: AMSMI-RBLD Redstone Arsenal Alabama 35808	1	Aerospace Medical Div. ATTN: Tech. Library Brooks AFB Texas 78235	2
Commanding General US Army Missile Command ATTN: AMSMI-RLH (Chaikin) Redstone Arsenal Alabama 35808	1	Commander US Air Force School of Aerospace Medicine ATTN: USAFSAM (SME) Brooks AFB, San Antonio Texas 78235	1
		Headquarters AMD-RD Brooks Air Force Base San Antonio, Texas 78235	1

DISTRIBUTION LIST (cont'd)

Commanding Officer
Hq., Medical Field Service Library
Brooke Army Medical Center
Fort Sam Houston, Texas 78234 1

Director of Research
HumRRO Div. No. 5 (Air Defense)
P.O. Box 6021
Fort Bliss, Texas 79916 1

Commanding General
ATTN: Tech. Library
White Sands Missile Range
New Mexico 88002 1

Commanding General
ATTN: STEWS-TE-Q (Mr. Courtney)
White Sands Missile Range
New Mexico 88002 1

Commanding General
US Army Elec. Proving Ground
ATTN: Mr. Abraham (Test Director)
Fort Huachuca, Arizona 85613 1

Commanding Officer
Ft. Huachuca Spt Comd, USA
ATTN: Tech. Ref. Div.
Fort Huachuca, Arizona 85613 1

Commanding Officer
Yuma Proving Ground
ATTN: Tech Library
Yuma, Arizona 85364 1

Dept. of Operations Analysis
Naval Postgraduate School
ATTN: Prof. J.K. Arima
Monterey, California 93940 1

Human Factors Division
G-2/3 USACDCEC
Fort Ord, California 93941 1

Commander
US Naval Ordnance Test Station
ATTN: Code 12
China Lake, Ca. 93557 1

Commanding General Hq., USARPAC
ATTN: COL Hawthorne
APO, San Francisco 96558 1

US Navy Elec Lab
ATTN: Ch., Human Factors Div.
Code 3400 (W.B. Welch)
San Diego, California 92152 1

Commanding Officer
US Army Arctic Test Center
APO Seattle, Wa. 98733 2

Hqs., US Army Alaska
ATTN: ARACD
Fort Richardson, Ak
APO Seattle 98749 2

Commanding Officer
Cold Weather & Mountain Indoctrination
School
Fort Greeley, AK
APO Seattle 98749 2

Commanding Officer
US Army Tropic Test Center
P.O. Drwr 942
ATTN: Behavioral Scientist
Fort Clayton, Canal Zone 2

Commanding Officer
USAF Tropical Survival School
Albrook Air Force Base
Canal Zone 1

Senior Standardization Representative
US Army Standardization Group, Canada
Attn: US Army Standardization Representative
c/o Directorate of Interservice Development
138 Queen Street
Ottawa, Ontario, Canada 2

DISTRIBUTION LIST (cont'd)

Headquarters
ESD (ESTI)
L.G. Hanscom Field
Bedford, Mass. 01730 1

Director
US Army Mechanics & Materiels
Research Center
ATTN: Ch, Dev. & Eng. Lab
AMXMR-E
Watertown, Mass. 02172 1

Commanding Officer
US Army Mechanics & Materiels
Research Center
ATTN: Tech. Library
Watertown, Mass. 02172 1

Director
US Army Mechanics & Materiels
Research Center
ATTN: Project Manager - Armor
AMXMR-A
Watertown, Mass. 02172 1

US Naval Submarine Medical Center
ATTN: Library
Box 600
US Navy Submarine Base
Groton, Conn. 06340 1

Commanding Officer
ATTN: SWEVV-RDT
Watervliet Arsenal, NY 12189 1

Commanding General
Hq., US Army Europe and Seventh Army
ATTN: COL J.L. Thayer
Chief, Services Division, DCSLOG
APO, New York 09403 1

Director
Military Psychology & Leadership
US Military Academy
West Point, New York 10996 1

US Army Standarization Grp. UK
ATTN: Research/Gen Materiel Rep
Box 65
FPO, New York 1

RADC (EMEDI)
Griffiss Air Force Base
New York 13440 1

Commanding General
US Army Electronics R&D Labs.
ATTN: Tech. Library
Fort Monmouth, N.J. 07703 1

Commanding General
US Army Electronics Command
ATTN: AMSEL-RD-GDA
Fort Monmouth, N.J. 07703 1

Commanding General
US Army Electronics Command
ATTN: AMSEL-VL-I
Fort Monmouth, N.J. 07703 1

Commanding General
US Army Electronics R&D Labs
ATTN: Tech. Information Div.
Fort Monmouth, N.J. 07703 1

Chief, Supply Div.
Logistics Services
Hq., Fort Monmouth
Vail Hall, Bldg. 1150
Fort Monmouth, N.J. 07703 2

Commanding Officer
Picatinny Arsenal
ATTN: SMUPA-VC1 (Mr. Carlock)
Dover, N.J. 07801 1

DISTRIBUTION LIST (cont'd)

Commanding Officer
Frankford Arsenal
ATTN: SMUFA-U5000/202-4
Human Factors Engr. Div
Philadelphia, Pa. 19137

1

Commanding Officer
Frankford Arsenal
ATTN: Library (C2500, B1 51-2)
Philadelphia, Pa. 19124

1

Naval Air Development Center
ATTN: ACLE-P2 (Mr. Bellavin)
Johnsville
Warminster, Pa. 18974

1

Director
Aerospace Crew Equipment Dept.
Naval Air Engr. Center
Warminster, Pa. 18974

1

Defense Personnel Support Center
ATTN: Mr. Armand Paci
US Army NLABS Representative
2800 South 20th Street
Philadelphia, Pa. 19101

1

Chief, Programs & Policy Office
Directorate of Technical Operations
Defense Personnel Support Center
2800 South 20th Street
Philadelphia, Pa. 19101

1

Commander
US Air Force Services Office
ATTN: DPKFF (Mr. J. Dehart)
2800 South 20th Street
Philadelphia, Pa. 19101

1

Director
US Army War College
ATTN: Library
Carlisle Barracks, Pa. 17103

1

Hq., Tobyhanna Army Depot
ATTN: AMXTO-PR
Tobyhanna, Pa. 18466

1

Marine Corps Supply Agency
(Code 826)
1100 South Broad Street
Philadelphia, Pa. 19146

1

Director
US Army Limited Warfare Labs
ATTN: Tech. Library
Aberdeen Proving Ground
Maryland 21005

1

Director
Engineering & Ind. Services
ATTN: Directorate of Chemical Engr.
Edgewood Arsenal, Md. 21010

1

Commander
US Army Chemical R&D
ATTN: Tech. Library
Edgewood Arsenal, Md. 21010

1

Commanding General
US Army Edgewood Arsenal
ATTN: Directorate of Commodity
Management
Edgewood Arsenal, Md. 21010

1

Director
US Army Human Engineering Labs
ATTN: Tech. Library
Aberdeen Proving Ground
Maryland 21005

2

Commanding General
US Army Test & Evaluation Command
ATTN: AMSTE-TAA
Aberdeen Proving Ground
Maryland 21005

1

DISTRIBUTION LIST (cont'd)

Commanding Officer US Army Coating & Chem. Labs Aberdeen Proving Ground Maryland 21005	1	Hq., Air Force Systems Command ATTN: DLH Andrews Air Force Base Maryland 20331	1
US Army Ballistic Research Lab ATTN: AMXBR-TC (Mr. B.F. Armendt) Aberdeen Proving Ground Maryland 21005	1	US Postal Service Lab ATTN: Mr. D.Y. Cornog 11711 Parklawn Drive Rockville, Md. 20852	1
Director US Army Human Engineering Labs Aberdeen Proving Ground Maryland 21005	2	Commanding General Hq., First U.S. Army ATTN: AHABD-SQC Fort George G. Meade Maryland 20755	1
Commanding Officer Aberdeen Proving Ground ATTN: STFAP-DS-TU (Mr. W. Pless) Aberdeen Proving Ground Maryland 21005	1	Commander US Army Medical Bioengineering R&D Laboratory Fort Detrick Frederick, Md. 21701	1
Commanding Officer Aberdeen Proving Ground ATTN: Tech. Library (Bldg. 305) Aberdeen Proving Ground Maryland 21005	1	NASA Scientific & Tech. Info. Facility ATTN: Acquisitions Br. (S-AK/DL) P.O. Box 33 College Park, Md. 20740	1
Director Biomed. Lab ATTN: Psychology Section Edgewood Arsenal, Md. 21010	1		
Director Biomed. Lab ATTN: Human Factors Group Edgewood Arsenal, Md. 21010	1		
Commanding Officer US Army Environmental Hygiene Agency ATTN: Librarian (Bldg. 2400) Edgewood Arsenal, Md. 21010	2		

INTERNAL DISTRIBUTION

Commanding Officer	1
Scientific Director	1
Deputy Scientific Director for Engineering	1
Deputy Scientific Director for Research	1
Commanding Officer US Army Research Institute for Environmental Medicine	2
Commanding Officer, Airdrop Engineering Laboratory	1
Director, Clothing & Personnel Life Support Equipment Laboratory	3
Director, General Equipment & Packaging Laboratory	1
Director, Pioneering Research Laboratory	3
US Air Force Liaison Officer	3
Chief, Quality Assurance & Engineering Office	2
Technical Library	2
Operations Research & Systems Analysis Office	1
Technical Editor, Clothing & Personnel Life Support Equipment Laboratory	6
Officer-in-Charge Navy Clothing & Textile Rsch Unit, NLABS	2
Commanding Officer, Headquarters Company, ATTN: Library	1
Mathematician	1
Comptroller	1
Military Liaison Representatives	
US Army Representative	1
US Air Force Representative	1
US Navy Representative	1
US Marine Corps Representative	1

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)

U.S. Army Natick Laboratories
Natick, Massachusetts 01760

2a. REPORT SECURITY CLASSIFICATION

UNCLASSIFIED

2b. GROUP

3. REPORT TITLE

Dexterity Afforded by CB Protective Gloves

4. DESCRIPTIVE NOTES (Type of report and inclusive dates)

5. AUTHOR(S) (First name, middle initial, last name)

John M. McGinnis, Carolyn K. Bensel, John M. Lockhart

6. REPORT DATE

March 1973

7a. TOTAL NO. OF PAGES

38

7b. NO. OF REFS

4

8a. CONTRACT OR GRANT NO.

b. PROJECT NO. 1J664713DL40

c. Task 02 P/N 1T062106A121

d.

9a. ORIGINATOR'S REPORT NUMBER(S)

73-35-PR

9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)

None

10. DISTRIBUTION STATEMENT

Approved for public release, distribution unlimited.

11. SUPPLEMENTARY NOTES

12. SPONSORING MILITARY ACTIVITY

Pioneering Research Laboratory
U.S. Army Natick Laboratories
Natick, Massachusetts 01760

13. ABSTRACT

Three chemical and biological (CB) protective gloves were evaluated and compared to bare hands with regard to their effects on the performance of five manual tasks during 14 daily sessions. One task measured the angular force which could be exerted on a cylindrical handle. Four tasks measured finger or hand dexterity. One of these included the use of wrenches and screwdrivers. On the Torque Test, scores were highest when the butyl rubber CB protective glove was worn and lowest (only 1/3 as large) with the standard cotton CB protective glove. Performances with bare hands and with butyl gloves worn under the leather glove were between the two extremes and were approximately equal. On all four dexterity tasks, bare hand performance was best and performance was worst when the butyl glove was worn under the leather glove. On these tasks, performances with the cotton glove and the butyl glove were very similar and differed significantly from the two extreme conditions. Because of the great impairment on manual dexterity, the butyl and leather glove combination was judged unacceptable.

DD FORM 1473

NOV 66

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS OBSOLETE FOR ARMY USE.

UNCLASSIFIED

Security Classification

UNCLASSIFIED

Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Human factors						
NLABS						
Handwear						
Handwear, Chemical and Biological Protective						
Manual dexterity						
Manual tasks						
Glove, Leather						
Glove, Butyl Rubber						
Glove, Cotton						

Security Classification